

the **best** for 17

rd rujzdesign

tangible quality

rd rujzdesign
tangible quality

Legend

Dimensions

	Interscrew distance
	Length
	Height
	Width
	Diameter

Finishes

☐ xRAL		Available in all RAL colors
☐ xAlu		Available in all finishes possible for aluminium
☐ xMetal		Available in all finishes possible for metal

Materials

	Aluminium
	Metal
	Carbon fiber

Delivery times

	Express (from stock in a few days)
	On request (3 - 10 days)
	By agreement (a few weeks)

Other options

	Available in multiple lengths
	Custom lengths available by agreement
	Custom finish available by agreement




520.20



160	167	27	20
224	231	27	20
320	327	27	20
416	423	27	20
x*	x*	27	20

* Available in custom lengths



520.28



E

Cr

E

MCrESat

E

MCrEL

E

NiSatE

E

SNiL

E

White

R

TitL

R

SatCrnE

R

Black

R


RAL X

A


XAlu

160	167	27	28
224	231	27	28
320	327	27	28
416	423	27	28
x*	x*	27	28

* Available in custom lengths



573.20



E

Cr

E

MCrE

E

NiSatE

R

Black

R

White

R

TitL

R

xRAL


A


xAlu

RAL

128	135	32	20
160	167	32	20
224	231	32	20
320	327	32	20
416	423	32	20
x*	x*	32	20

* Available in custom lengths





E

Cr

E

MCrE

E

NiSatE

R

Black

R

White

R

TitL

R

xRAL


A

xALu


RAL

128	138	32	10
160	170	32	10
224	234	32	10
320	330	32	10
416	426	32	10
x*	x*	32	10

* Available in custom lengths



613.27B



MULTIPLE LENGTHS

E

Cr

E

MCrESat

E

NiSatE

R

Black

R

White

R

TitL

R


xRAL

A

xAlu

16	32	27	7
128	160	27	7
160	224	27	7
224	320	27	7
320	416	27	7
x*	x*	27	7

* Available in custom lengths





E Cr

E MCrESat

E NiSatE

R Black

R White

R TitL


R xRAL

RAL



A xAlu

160	186	35	16
224	250	35	16
320	346	35	16
416	442	35	16
512	538	35	16
x*	x*	35	16

* Available in custom lengths



617.33



E

Cr

E

MCrESat

E

NiSatE

R

Black

R

White

R

TitL

R

xRAL


A

xAlu

RAL

160	167	30	33
224	231	30	33
320	327	30	33
416	423	30	33
x*	x*	30	33

* Available in custom lengths



618.15



E Cr

E MCrESat

E NiSatE

R Black


R White

R TitL

R xRAL

A xAlu

96	155	25	15
160	211	25	15
192	287	25	15




619.10




- E** Cr
- E** MCrESat
- E** NiSatE
- E** Vint*
- R** Black
- R** White
- R** TitL
- R** xRAL
RAL
- A** xAlu

160*	197	36	10
270	307	36	10
370	407	36	10
x**	x**	36	10

** Available in custom lengths




620.20




- E** Cr
- E** MCrESat
- E** NiSatE
- E** SatCrnE
- R** Black
- R** White
- R** TitL
- R** xRAL
- A** xAlu

160	186	29	20
192	218	29	20
270	296	29	20
370	396	29	20
416	442	29	20
470	496	29	20
x*	x*	29	20

* Available in custom lengths



627.10



E

Cr

E

NiSatE

R

MCrE


A

xAlu




			
128	138	32	10
184	194	32	10
284	294	32	10
334	344	32	10
2x342	694	32	10
384	394	32	10
2x392	794	32	10
2x442	894	32	10
484	494	32	10
2x542	1094	32	10
x*	x*	32	10

* Available in custom lengths



638.27



E Cr



E MCrESat



E NiSatE



E TitL



R Black




R White




A xAlu



160	175	27	13
224	239	27	13



631.22B



E Cr



E MCrESat



E NiSatE



E TitL



R Black



R White




R xRAL




A xAlu



192	215	25	22
288	340	25	22
416	465	25	22




634.10



128	150	29	10
160	282	29	10
224	246	29	10
320	342	29	10
416	438	29	10
x*	x*	29	10

* Available in custom lengths






A new surface treatment by Rujz Design

SatCNiM - Available for most aluminium products

640.10



E

Cr

E

MCrE

E

NiSatE

R

Black

R

White

R

TitL

R

xRAL

A

xAlu


A


xMetal

RAL

160	170	30	10
224	234	30	10
320	330	30	10
416	426	30	10
480	490	30	10
x*	x*	30	10

* Available in custom lengths





R

Cr

R

MCrESat

R

NiSatE

R

Black

R

White

R

TitL

R

xRAL


A

xAlu

RAL


160	232	28	20
192	264	28	20
256	328	28	20
270	342	28	20
370	442	28	20
416	488	28	20
470	542	28	20
x*	x*	28	20

* Available in custom lengths





644.16



Middle part



E SilverPHG



E MCrE



E NiSatE



R Black



R White



R TitL



R xRAL



A xAlu



Ends



E Cr



E MCrEL



E NiL



R Black



R White



R TitL



R xRAL




A xMetal



128	141	32	16
160	173	32	16
224	237	32	16
270	283	32	16
320	333	32	16
370	383	32	16
420	433	32	16
470	483	32	16
570	583	32	16
670	683	32	16
770	783	32	16
870	883	32	16
x*	x*	32	16

* Available in custom lengths





646.32



E

Cr

E

NiSatE

E

MCrESat

R

Black

R

White

R

TitL

R


xRAL

A

xAlu




160	172	32	12
210	222	32	12
260	272	32	12
310	322	32	12
360	372	32	12
460	472	32	12
x*	x*	32	12

* Available in custom lengths





651.24



E

Cr

E

Sat2

E

Vint2

R

Black

R

White

R

TitL

R

xRAL


A

xAlu

RAL


32	110	20	24
96	180	20	24
160	250	20	24
x*	x*	20	24

* Available in custom lengths






632.27B




- E** Cr
- E** MCrE
- E** NiSatE
- R** Black
- R** White
- R** TitL
- R** xRAL
- A** xAlu

160	200	27	7
224	260	27	7
320	360	27	7
416	460	27	7
x*	x*	27	7

* Available in custom lengths



612.08



Middle part



E Cr



E MCrE



E NiSatE



E Carbon



R Black



R White



R TitL



R xRAL



A xAlu



Ends



E Cr



E MCrEL



E NiL



E Black



R White



R TitL



R xRAL



A xMetal




64	79	31	10
160	175	31	10
224	239	31	10
2x224	463	31	10
320	335	31	10
2x320	655	31	10
2x416	847	31	10
x*	x*	31	10

* Available in custom lengths





643.33



E

Cr

E

MCrE

E

NiSatE

R

Black

R

White

R

TitL

R


xRAL

A

xAlu



16	45	20	34
64	90	20	34
128	160	20	34
160	200	20	34
x*	x*	20	34

* Available in custom lengths





648.17



E

Cr

E

MCrESat

E

NiSatE

R

Black

R

White

R

TitL

R

xRAL


A

xAlu

RAL


128	160	17	30
160	210	17	30
224	260	17	30
320	360	17	30
416	460	17	30
x*	x*	17	30

* Available in custom lengths





649.35



R

Cr

R

MCrE

R

NiSatE

R

TitL

R

Black

R

White

R

xRAL


A

xAlu

RAL


128	195	18	36
224	295	18	36
x*	x*	18	36

* Available in custom lengths





658.35



MULTIPLE LENGTHS

R Cr



R MCrE



R NiSatE



R Black



R White



R TitL



R xRAL




A xAlu





32	50	18	36
64	90	18	36
160	200	18	36
x*	x*	18	36

* Available in custom lengths





656.35



E MCrE



E NiSatE



R Black



R White



R TitL



R xRAL




A xAlu




147	20	34
197	20	34
247	20	34
297	20	34
347	20	34
397	20	34
447	20	34
497	20	34
597	20	34
697	20	34
797	20	34
897	20	34
997	20	34
1197	20	34
x*	20	34

* Available in custom lengths



US 2141



E

Cr

E

MCrE

E

NiSatE

R

Black

R

White

R

TitL

R


xRAL

A




xAlu

147	12	37
197	12	37
247	12	37
297	12	37
347	12	37
397	12	37
447	12	37
497	12	37
547	12	37
597	12	37
697	12	37
797	12	37
897	12	37
997	12	37
1197	12	37
x*	12	37

* Available in custom lengths



US **2192**



E Cr

E NiSatE

R MCrE

R Black

R White

R TitL


R xRAL

RAL



A xAlu

147	10	39
197	10	39
247	10	39
297	10	39
347	10	39
397	10	39
447	10	39
497	10	39
547	10	39
597	10	39
697	10	39
797	10	39
897	10	39
997	10	39
1197	10	39
x*	10	39

* Available in custom lengths



US 434.43



R

Cr

R

MCrE

R

NiSatE

R

Black

R

White

R

TitL

R

xRAL


A

xAlu


RAL

145	21	43
245	21	43
295	21	43
345	21	43
395	21	43
445	21	43
495	21	43
595	21	43
695	21	43
795	21	43
895	21	43
995	21	43
x*	21	43

* Available in custom lengths



US **555.95**



E Cr

E MCrE

E NiSatE

E SatCrnE

R Black

R White


R TitL

R xRAL



A xAlu

		
145	10	35
190	10	35
195	10	35
215	10	35
245	10	35
295	10	35
315	10	35
345	10	35
395	10	35
415	10	35
445	10	35
495	10	35
545	10	35
595	10	35
695	10	35
795	10	35
895	10	35
995	10	35
1195	10	35
x*	10	35

* Available in custom lengths



US 560.37



R

Cr

R

MCrE

R

NiSatE

R

Black

R

White

R

TitL

R

xRAL


A

xAlu

RAL


144	37	9
294	37	9
394	37	9
444	37	9
494	37	9
594	37	9
794	37	9
1194	37	9
x*	37	9

* Available in custom lengths





US 2159A
US 2159B



E MCrE



E Silver



R Black



R White



R TitL




R xRAL




A xAlu



147	11 / 40	21
197	11 / 40	21
247	11 / 40	21
297	11 / 40	21
347	11 / 40	21
397	11 / 40	21
447	11 / 40	21
497	11 / 40	21
547	11 / 40	21
597	11 / 40	21
697	11 / 40	21
797	11 / 40	21
897	11 / 40	21
997	11 / 40	21
1197	11 / 40	21
1833	11 / 40	21
2750	11 / 40	21
x*	11 / 40	21




* Available in custom lengths



US 2197A
US 2197B



147	15 / 40	21
197	15 / 40	21
247	15 / 40	21
297	15 / 40	21
347	15 / 40	21
397	15 / 40	21
447	15 / 40	21
497	15 / 40	21
547	15 / 40	21
597	15 / 40	21
697	15 / 40	21
797	15 / 40	21
897	15 / 40	21
997	15 / 40	21
1197	15 / 40	21
1833	15 / 40	21
2750	15 / 40	21
x*	15 / 40	21



* Available in custom lengths



US 2198
US 2198B



E MCrE

E Silver

R Black


R White

R TitL

R xRAL



A xAlu

		
147	15 / 26	20
197	15 / 26	20
247	15 / 26	20
297	15 / 26	20
347	15 / 26	20
397	15 / 26	20
447	15 / 26	20
497	15 / 26	20
547	15 / 26	20
597	15 / 26	20
697	15 / 26	20
797	15 / 26	20
897	15 / 26	20
997	15 / 26	20
1197	15 / 26	20
1833	15 / 26	20
2750	15 / 26	20
x*	15 / 26	20




* Available in custom lengths

580.26





- E** Cr **E** MCrL **E** SNiL **E** MNiL **R** Black **R** White **R** TitL **R** xRAL **A** xMetal

160	172	26	14
224	236	26	14




580.26SW




- E** Cr **E** SNiL **E** Vint **R** MCrL **R** MNiL **R** Black **R** White **R** TitL **R** xRAL **A** xMetal


160	172	26	14
224	236	26	14



587.25



160	170	25	15
224	234	25	15



E Cr



E MNiL



E SNiL



E White



E Rumena 1



E Oranžna 1



E Rdeča 1



E Zelena 4



E TitL



R Black




R xRAL




A xMetal



588.25



160	172	25	21
224	236	25	21



E Cr



E MCrL



E MNiL



E SNiL



R White



R Black



R TitL





R xRAL



A xMetal




604.27



- E Cr
- E MCrL
- E SNiL
- R MNiL
- R Black
- R White
- R TitL
- R xRAL
- A xMetal

160	175	27	26
224	239	27	26



VINTAGE
by rdl rujzdesign



E

Cr

E

MCrESat

E

NiSatE

E

Vint*

R

Black

R

White

R

TitL

R

xRAL


RAL

A

xAlu

160*	197	36	10
270	307	36	10
370	407	36	10
x**	x**	36	10

** Available in custom lengths





630.15

VINTAGE
by rd ruzjdesign




160	175	38	15
320	335	38	15
512	572	38	15

E Vint



A xAlu



636.15

VINTAGE
by rd ruzjdesign




160	182	22	15

E Vint



A xAlu



NEW
PRODUCT

650.12

VINTAGE
by rdl rujzdesign




			
1	35	33	12
160	210	33	12

E Vint



A xAlu



NEW
PRODUCT

657.16

VINTAGE
by rdl rujzdesign




			
1	35	39	16
160	210	39	16

E Vint



A xAlu



NEW
PRODUCT

651.24

VINTAGE
by rd ruzjdesign





MULTIPLE LENGTHS

E Cr **E** Sat2 **E** Vint2 **R** Black **R** White **R** TitL **R** xRAL **A** xAlu

32	110	20	24
96	180	20	24
160	250	20	24
x*	x*	20	24

* Available in custom lengths







E Cr	E MCrE	E NiSatE	E White
			
R TitL	R Black	R xRAL	A xAlu
			
			

E Cr	E MCrE	E NiSatE	E White
			
R TitL	R Black	R xRAL	A xAlu
			
			



E Cr	E MCrL	E SNiL	E Vint
			
E TitL	E Black	E White	R xRAL
			
		A xAlu	
			

E Cr	E MCrE	E NiSatE	E TitL
			
R Black	R xRAL	A xAlu	
			
			



OE 2199C
OE 2199L



E MCrE

E NiSatE

E SilverPHG

E Black

E White


E TitL

R xRAL

A xAlu


OE 2199C

2750	68	24
3500	68	24
5500	68	24



OE 2199L

2750	51	24
3500	51	24
5500	51	24



Fitting System

L-Bracket
KO 2199K



T-Nut
PO 2199P



T-Bracket
KO 2199T



ZA 2199C.F

ZA 2199L.F

ZA 2199C.E



ZA 2199L.E

ZA 2199L.I



ZA 2199L.O



E Cr	E MCrL	E MNiL	E SNiL
R Black	R White	R TitL	R xRAL
A xMetal			RAL



E Cr	E MCrL	E MNiL	E SNiL
R Black	R White	R TitL	R xRAL
A xMetal			RAL



ON 2187A



ON 2187C



E Cr

E Silver

E MCrE

E TitL

E Vint

R Black

R White

R xRAL

A xAlu

RAL

E Cr

E Silver

E MCrE

E TitL

E Vint





R Black

R White

R xRAL

A xAlu

RAL



NEW
PRODUCT

ON 2202A



NEW
PRODUCT

ON 2202C



E Cr



E Silver



E MCrE



E Titl



E Vint



R Black



R White



R xRAL



RAL

A xAlu



E Cr



E Silver



E MCrE



E Titl



E Vint



R Black



R White




R xRAL



RAL

A xAlu



36



140



39




36





140




39



1:2




1:2



NG 2184



NG 2178R



E Cr



E MCrE



E NiSatE



R TitL



R Black



R White



R xRAL

RAL

A xAlu



		
A20	100	20
A20	150	20
E20	200	20

E Cr



E MCrE



E NiSatE



R TitL



R Black



R White





R xRAL

RAL

A xAlu



		
E80	100	50
A80	150	50
E80	200	50





E SilverPHG*

A Black

A MCrE

A White


A NiSatE

A xRAL

A TitL

A xAlu

3500*	19	20
5500	19	20



E SilverPHG*

A Black

A MCrE

A White


A NiSatE

A xRAL

A TitL

A xAlu

3500*	21	21
5500	21	21



INDEX

520.20	1
520.28	2
573.20	3
574.10	4
580.26	35
580.26SW	35
587.25	36
588.25	36
604.27	37
612.08	21
613.27B	5
614.16	6
617.33	7
618.15	8
619.10	9. 38
620.20	10
627.10	11
630.15	39
631.22B	12
632.27B	20
634.10	13
636.15	39
638.27	12
640.10	15
642.20	16
643.33	22
644.16	17
646.32	18
648.17	23
649.35	24
650.12	40
651.24	19. 41
652.20	42
653.15	42
656.35	26
657.17	40
658.35	25
850.40	42
DR2188	42
NG2178R	47
NG2184	47
OE2199	43
OK2172	48
OK2173	48
ON2123	44
ON2124	44
ON2187A	45
ON2187C	45
ON2202A	46
ON2202C	46
US2141	27
US2159	32
US2192	28
US2197	33
US2198	34
US434.43	29
US555.95	30
US560.37	31

rd rujzdesign
tangible quality



Rujz Design d.o.o.

Letališka cesta 32
SI-1000, Ljubljana
Slovenia

T: +386 1 542 22 00

F: +386 1 521 12 10

info@rujzdesign.com

www.rujzdesign.com

Izdajatelj

Publisher

Rujz Design d.o.o.

Zasnova, oblikovanje in fotografija

Concept, design and photography

Sebastian Pelan

Tisk

Printed by

Kocman Grafika

Ljubljana, 2016



Rujz Design d.o.o.

Letališka cesta 32
SI-1000, Ljubljana
Slovenia

T: +386 1 542 22 00

F: +386 1 521 12 10

info@rujzdesign.com

www.rujzdesign.com